

Security Empowers Business

BLUE COAT

CENTER

MANAGEMENT

MANAGEMENT CENTER - APPLIANCE AND VIRTUAL APPLIANCE Improve the Scalability, Security and Cost Effectiveness of Your Blue Coat Deployments

Blue Coat provides web access control and advanced threat protection for many of the world's largest enterprises. To maximize the value of your Blue Coat solutions, including the powerful ProxySG, you need to be able to quickly and easily roll out, configure, monitor, manage and backup your deployments. Blue Coat's Management Center offers a unified management platform that provides the visibility and control you need, in one central place, to reduce the time and costs associated with managing your Blue Coat solutions, including your multi-proxy deployments.

Management Center – Unified Management Platform

The Blue Coat Management Center is a powerful, unified management platform that gives you centralized visibility over Blue Coat's product portfolio. With a single pane of glass, you can see your Blue Coat deployments, including ProxySG, SSL Visibility Appliance, Content Analysis System, Malware Analysis Appliance, Mail Threat Defense and PacketShaper.

Simplify and Scale Web Security and Governance

Management Center's centralized visibility and controls simplify the ongoing management of ProxySG, so you can scale deployments and apply powerful proxy policies throughout your environment that address your specific needs and ensure the consistent application of web security and governance. With a single pane of glass, you can:

 Configure, manage and provision ProxySG policies to gain complete control over all your web traffic.

- Create and deploy policies to multiple devices simultaneously, via the Visual Policy Manager.
- Check consistency between policies and devices.
- Standardize policies across like-purpose devices, with the ability to customize when necessary.

BLUE C	COAT *	lanagement	Center						Device Status T		nagen 😗 •		
Deshboards				Reports Aut	liding				Eren Verregs OK		Ad	nielstratioe	
								iter by: 🛃 Error	🗹 Warning 🗹 OK 🛛 🗹 Inactiv	Diter device and	worp (View.	Details
Group by			Proxy8G										
Device G	Houpe	- 0	K Levelup	Add Device	AM Group	Edit Edit	port Data Operations +	3					
a Al Devices			Туре	Name †	Device Count	Device Type	OS Version	IP Address	Description	Status	Inactive	Errors	Warnia
() Unassigne			- 1 C	Director 1	110	0.9	n's	nia		OK	0		0
(e) Unassigne	d Devices		-	Director 2	120	n'a	n'a	nia		Warnings	0	0	1
III Devices			and the	Director 3	120	nia.	n'e	nia		OK	0		0
-IIII CAS	121		a 1	ST-CM-ESX-2	65	0.2	0/8	n/a		OK	0		0
- III MAA	ve.		98	10.168.0.207 - 8	n/a	Praysg	5005 6.5 5.410 Prevy Ed.	10.168.0.207		OK		0	0
-III Packs			8	10.169.25.10 - 8	112		\$908 6.2 15.4 Provy Edit.	10.169.25.10		Warrings	0		1
- in Prory		×				Proxy 93							
- IIII Director 1 - IIII Director 2			8	10.169.25.11 - 8	nia	Praxy5G	SGOS 6.6.3.0 Proxy Editor			OK	٥	0	0
	- IIII Director 3 IIII ST-CM-ESX-2		88	10.169.25.12 - 8	nia	ProxySG	SGOS 6.2.3.2 Prexy Editor			Errors	0	1	0
			88	10.169.25.13 - 8	rela	Proxy5G	SGOS 6.5.4.3 Proxy Editor	10.169.25.13		OK	0	•	0
- IIII Report			8	10.109.25.14 - 8	nia	Proxy5G	SG06 6.2.15.5 Proxy Edt.	10.169.25.14		Enors	0	1	3
Health status, O													
Overview Description			Statue			Current Value		Warning Threshold		Threshold			
System Metrics CPU Utilization Memory Utilization				OK OK			2 %		80 % 90 %	95 % 95 %			
Health Check		1 Status		OK			27 %		20.3	95 %			
Beckup		herboard temper	ature 1	OK			35.8		48.0	61.0			
	Matt	herboard temper	ature 2	OK			46.1		58.0	61.0			
		Itemperature		QK			42.0		90.0	100.0			

AT A GLANCE

Management Center is a unified management platform for the portfolio of Blue Coat products that enables you to:

- Simplify Web Security and Governance enabling you to define, deploy and monitor the impact of powerful proxy policies across all sites and devices.
- Enhance Advanced Threat Defenses eliminating 99.99% of known threats with ProxySG malware categories and Content Analysis System, streamlining investigations by identifying risky users and site access.
- Reduce Operating Costs delivering high availability, while improving overall visibility, and automating common operational tasks.



Security Empowers Business

Enhance Advanced Threat Defenses

Management Center makes it simple for you to take advantage of ProxySG malware categories and Content Analysis System to eliminate 99.99% of known threats targeting your organization. You can automate advanced threat protection at the gateway to fortify your network against unknown and advanced malware. You can also streamline investigations and accelerate attack remediation by using Management Center's unified management and reporting capabilities to quickly identify risky users and potentially inappropriate site access.

Reduce Operating Costs


Management Center enables you to automate and streamline operations, saving you precious time and resources. You can report on all your Blue Coat ProxySG appliances and virtual appliances and receive an up-todate picture on the health and activity of your other Blue Coat products to simplify ongoing management. The platform will continue to add product and feature support across the portfolio to continue to increase operational efficiencies. With Management Center, it is easy to:

Deploy

Deploy Management Center as an appliance or virtual appliance to seamlessly integrate and meet the needs of your environment. Centrally manage up to 500 ProxySG appliances, and organize your proxy deployments by purpose, location, department and more.

Specify Roles and Management Tasks

With object-level access control, you can define users, user groups, devices and device groups to simplify operations. You have the flexibility to create roles at a very granular, object-level, and apply those roles to individual users or groups. User Groups with the same permissions can access, manage and report



on devices within their management area and avoid overlapping duties.

Automate Operations

With scripts and job scheduling, you can use Management Center to automate repetitive tasks, including version control and version comparisons. Scripts can be imported from a device and distributed across your device population; you can also reuse key logic across your devices to maximize its utility and minimize the potential for error.

Report on Device Performance

From Management Center, you can leverage Blue Coat Reporter to collect and analyze logs from all the devices in your Blue Coat deployment. This will enable you to access and customize templates to simplify reporting, such as the amount of malware that has been blocked, top threat categories, risky users and other key metrics. You can also create custom dashboards and reports, with widget-based modules, to suit your needs.

Maintain a High Availability Environment

For a high availability proxy environment, you can configure device backups and storage to an external server, using FTP, HTTP, HTTPS, or SCP. You can monitor hardware diagnostics information, including system metrics, storage usage, temperature, voltage, and RPM, to identify and deal with potential issues before they become critical. In the event of a problem, you can click to run hardware diagnostics, power off the appliance and restore factory defaults to resume normal operations and ensure optimal reliability.

BLUE COAT

Management Center (v1.4.1) Coverage

Security Empowers Business

	INVENTORY	HEALTH	CONSOLE	BACKUP	PERFORMANCE	POLICY/ RULES	SETTINGS	REPORTING
PROXYSG		-	~	-				-
CONTENT ANALYSIS SYSTEM	-	-	-	-				
MALWARE ANALYSIS APPLIANCE	-	-	-					
SSL VISIBILITY APPLIANCE				-		\checkmark		
PACKETSHAPER		-						
REPORTER	-	-	~					-

MANAGEMENT CENTER	VIRTUAL APPLIANCES								
CAPACITY	MC-V10-1	MC-V10-10	MC-V10-25	MC-V10-50	MC-V10-100	MC-V10-250	MC-V10-500		
MAX NUMBER OF UNITS MANAGED	1	10	25	50	100	250	500		
SERVER REQUIREMENTS	2 cores 8GB BAM 100G), VMware ESX 5-	-					
MANAGEMENT CENTER	S400-20 APPL	IANCE							
CAPACITY	MC-S400-20-100		MC-S40	0-20-250	MC	MC-S400-20-500			
MAX NUMBER OF UNITS MANAGED	100		250	250		500			
SYSTEM									
DISK DRIVES	3 x 1TB SAS (effective storage of 1TB with 2 x RAID1 primary drives and 1x spare drive)								
RAM	16GB								
ONBOARD PORTS ¹	IBOARD PORTS1 (2) 1000Base-T Copper ports (r (2) 1000Base-T Copper ports (r (1) 1000Base-T Copper, BMC I		on-bypass)						
OPTIONAL NICS	None								
AVAILABLE SLOTS	None								
POWER SUPPLIES	2								

¹ BMC port is currently disabled



Security Empowers Business

PHYSICAL PROPERTIES

GOV'T CERTIFICATIONS

MORE INFO

Blue Coat Systems Inc).
www.bluecoat.cor	n

Corporate Headquarters Sunnyvale, CA +1.408.220.2200

> EMEA Headquarters Hampshire, UK +44.1252.554600

APAC Headquarters Singapore +65.6826.7000

DIMENSIONS AND WEIGHT							
DIMENSIONS		572mm X 432.5mm X 42.9mm (22.5in X 17.03in X 1.69in) (chassis only) 643mm X 485.4mm X 42.9mm (25.3in X 19.11in X 1.69in) (chassis with extensions) 1 RU height					
WEIGHT (MAXIMUM)	Approx. 12.8 kg (28 lbs) +/- 5%	Approx. 12.8 kg (28 lbs) +/- 5%					
OPERATING ENVIRONME	INT						
AC POWER	Dual redundant and hot swappable power supplies	Dual redundant and hot swappable power supplies, AC power 100-127V @ 8A / 200-240V @ 4A, 47-63Hz					
TOTAL OUTPUT POWER	450 Watts	450 Watts					
OPTIONAL DC POWER	Input voltage range: 40.5V - 57V Input Max Current: 22A Total Output Power: 770W	Input Max Ourrent: 22A					
THERMAL RATING	Typical: 1086 BTU/hr, Max: 1381 BTU/hr	Typical: 1086 BTU/hr, Max: 1381 BTU/hr					
TEMPERATURE	5°C to 40°C (41°F to 104°F) at sea level	5°C to 40°C (41°F to 104°F) at sea level					
HUMIDITY	20 to 80% relative humidity, non-condensing	20 to 80% relative humidity, non-condensing					
ALTITUDE	Up to 3048m (10,000ft)						
S400-20 APPLIANCE							
REGULATIONS	SAFETY	ELECTROMAGNETIC COMPLIANCE (EMC)					
International	CB – IEC60950-1, Second Edition	CISPR22, Class A; CISPR24					
USA	NRTL – UL60950-1, Second Edition	FCC part 15, Class A					
Canada	SCC - CSA-22.2, No.60950-1, Second Edition	ICES-003, Class A					
European Union (CE)	CE – EN60950-1, Second Edition	EN55022, Class A; EN55024; EN61000-3-2; EN61000-3-3					
Japan		VCCI V-3, Class A					
Mexico	NOM-019-SCFI by NRTL Declaration						
Argentina	S Mark – IEC 60950-1						
Taiwan	BSMI – CNS-14336-1	BSMI – CNS13438, Class A					
China	CCC – GB4943.1	CCC - GB9254; GB17625					
Australia/New Zealand	AS/NZS 60950-1, Second Edition	AS/ZNS-CISPR22					
Korea		KC – RRA, Class A					
Russia	CU – IEC 60950-1	GOST-R 51318.22, Class A; 51318.24; 51317.3.2; 51317.3.3					
ENVIRONMENTAL	RoHS-Directive 2011/65/EU, REACH-Regulation No 1907/2006						
PRODUCT WARRANTY	Limited, non-transferable hardware warranty for a period of one (1) ye BlueTouch Support contracts available for 24/7 software support with						

© 2015 Blue Coat Systems, Inc. All rights reserved. Blue Coat the Blue Coat logos, ProxySG, PacketShaper, CacheFlow, IntelligenceCenter, CacheOS, CachePulse, Crossbeam, K9, the K9 logo, DRTR, MACH5, PacketWise, Policycenter, ProxyAV, ProxyClient, SGOS, WebPulse, Solera Networks, the Solera Networks logos, DeepSee, "See Everything.", "Security Empowers Business", and BlueTouch are registered trademarks or trademarks of Blue Coat systems, Inc. or its affiliates in the U.S. and certain other countries. This list may not be complete, and the absence of a trademark from this list does not mean it is not a trademark of Blue Coat or that Blue Coat has stopped using the trademark. All other trademarks mentioned in this document owned by third parties are the property of their respective owners. This document is for informational purposes only. Blue Coat makes no warranties, express, implied, or statutory, as to the information in this document. Blue Coat products, technical services, and any other technical data referenced in this document are subject to U.S. export control and sanctions laws, regulations and requirements, and may be subject to export, re-export, transfer in country or import after delivery to you. v.DS-MANAGEMENT-CENTER-EN-v1f-0615

For further government certification information please contact Federal Certifications@bluecoat.com

Contact regulatoryinfo@bluecoat.com for specific regulatory compliance certification questions and support