BLUE COAT

Security Empowers Business



COMPLETE WEB SECURITY - WITH SUPERIOR PERFORMANCE

Blue Coat ProxySG S400/S500

All too often, secure web gateway products force you to make a tough trade-off: stronger security or faster application performance. The Blue Coat ProxySG S400 and S500 families are the world's leading secure web gateway solution because they solve this dilemma, delivering both comprehensive web security and WAN optimization. The mid-range ProxySG S400 and flagship ProxySG S500 are part of Blue Coat's Security and Policy Enforcement Center, and provide scalable proxy platforms to secure your web communications and accelerate business applications. With robust capabilities including user authentication, web filtering, data loss prevention, visibility of SSL-encrypted traffic, content caching, bandwidth management, stream-splitting, and more, ProxySG is the most versatile secure web gateway in the industry. That's why it is the product of choice for more than 86% of the Fortune Global 500.

Complete Protection and Control

ProxySG provides comprehensive protection and control over web traffic. It enables the following functions: Strong user authentication, web filtering, deep inspection of content for data loss or threats, security checks to the Blue Coat WebPulse collaborative defense, inspection and validation of SSL traffic, content caching and traffic optimization, bandwidth management, streaming media splitting and caching, and method level controls per protocol. It also has the ability to filter, strip or replace web content. Its new Web Application Policy Engine provides granular visibility and control over web applications. ProxvSG is the ultimate foundation for a secure web gateway with its content controls and policy flexibility. It can also provide the unique ability to deliver web security and acceleration in one solution to a branch office. This all enables branch users to have access directly to the internet, with the same security coverage as those users in the main office.

Layered Defenses Security Framework

When deployed with Blue Coat WebFilter, ProxySG includes WebPulse, the collaborative cloud defense uniting over 75M users for web awareness and response to web content and threats. Together they create a hybrid design providing the best of on-premise controls with the collective intelligence of a cloud service. ProxySG integrates seamlessly with the Blue Coat Cloud Service to offer a hybrid solution for mobile device and remote user protection and filtering. ProxySG with ProxyAV enables the highest performing inline threat analysis, including SSL, with a choice of leading antimalware engines. And data loss prevention integration is securely enabled with S-ICAP or standard ICAP on ProxySG with certified DLP partners.

Unmatched Performance and Reliability

ProxySG innovations in new hardware platforms with multiple cores and the SGOS operating system with multi-threading provide up to 1Gbps throughput for high availability deployments and scale 5X beyond the

previous generation. SGOS is a micro kernel built for web object processing, secure and small in design, it rarely needs attention or patches, and it runs year after year at performance levels beyond the competition. Health checks and monitoring provide administrator awareness, and Blue Coat Director enables centralized device, license and policy management of ProxySG web gateways.

Scalability and Lower TCO

The Blue Coat security framework scales in many ways resulting in lower TCO for customers. The performance innovations require less hardware, rack space and power than alternative solutions. New defenses can be seamlessly added to the WebPulse cloud to scale the depth of protection. Expanding groups of remote users can accelerate their office communications with ProxyClient while being protected by WebPulse. Available reporting scales for visibility of all web gateway and remote users with custom dashboards and reports on a single server with an included optimized database for up to 20 billion log lines.

BLUE COAT

Security Empowers Business


Deploy ProxySG, WebFilter and ProxyAV together to enable:

- Advanced web threat protection and Negative Day Defense
- Real-time web content ratings
- On-demand cloud intelligence
- Web 2.0 mashed up content filtering
- Inline threat analysis (four AV choices)
- Social networking threat protection
- True file type checks
- Compressed archive analysis
- Full IPv6 implementation

Blue Coat provides a layered defense against Web 2.0 advanced web threats leveraging WebPulse cloud intelligence from over 75M users to protect the Web gateway and remote users. ProxySG provides unmatched policy flexibility, performance and reliability to secure networks and accelerate content.

- IPv4 to IPv6 migration
- IPv6 advanced policy management
- File and attachment filtering
- Data loss prevention integration
- Proxy avoidance blocking
- Web, mobile web, and native application and operation controls

- Protocol method controls
- Bandwidth management
- Media stream splitting and caching
- Acceleration and optimization
- Transparent or Explicit deployment



PROXYSG SERIES	SG S400-20	SG S400-30	SG S400-40	SG S500-10	SG S500-20
LICENSE CAPACITY					
Employee Count	5000	13000	Unlimited	Unlimited	Unlimited
SYSTEM					
Disk Drives	3 x 1TB	6 x 1TB	8 x 1TB	8 x 1TB SAS	16 x 1TB SAS
RAM	16GB	24GB	32GB	64GB	128GB
Onboard Ports	(2) 1000Base-T Copper ports (with bypass) (2) 1000Base-T Copper ports (non-bypass) (1) 1000Base-T Copper, BMC Management Port			 (2) 10Gb Base-T Copper ports (with bypass) (2) 10Gb Base-T Copper ports (non-bypass) (1) 1000Base-T Copper, System Management Port (1) 1000Base-T Copper, BMC Management Port 	
Optional NICs	4 x 10/100/1000Base-T (Copper with bypass capability) 4 x 1GbE Fiber-SR (with bypass capability, full height slot only) 2 x 10Gb Base-T (Copper with bypass capability) 2 x 10Gb Base-T (Copper non-bypass) 2 x 10Gb Fiber (SR with bypass capability) 2 x 10Gb Fiber (LR with bypass capability)				
Available Slots	1 full height / 1 half height			2 full height	2 full height / 3 half height
Power Supplies	2	2	2	2	2

BLUE COAT

Security Empowers Business **PHYSICAL PROPERTIES**

DIMENSIONS AND WEIGHT

Dimensions

International

SG S400

CB - IEC60950-1, Second Edition

572mm X 432.5mm X 42.9mm (22.5in X 17.03in X 1.69in) (chassis only)

643mm X 485.4mm X 42.9mm (25.3in X 19.11in X 1.69in) (chassis with extensions)

	1 RU height	2 RU height			
Weight (maximum)	Approx. 12.8 kg (28 lbs) +/- 5%	Approx. 30kg (66.12 lbs) +/- 5%			
OPERATING ENVIRONMENT					
Power	Dual redundant and hotswappable power supplies, AC power 100-127V @ 8A 200-240V @ 4A, 47-63Hz	Dual redundant and hot swappable power supplies, AC power 100-240V, 50-60Hz, 12-5A (DC power available)			
Maximum Power	450 Watts	1100 Watts			
Thermal Rating	Typical: 1086 BTU/Hr, Max: 1381 BTU/Hr	Typical: 2598.42 BTU/Hr, Max: 3751 BTU/Hr			
Temperature	5°C to 40°C (41°F to 104°F) at sea level	5°C to 40°C (41°F to 104°F) at sea level			
Humidity	20 to 80% relative humidity, non-condensing	20 to 80% relative humidity, non-condensing			
Altitude	Up to 3048m (10,000ft)	Up to 3048m (10,000ft)			
FOR ALL PROXYSG S400 AND S500 SERIES					
REGULATIONS	SAFETV	ELECTROMAGNETIC COMPLIANCE (EMC)			

SG S500

CISPR22, Class A; CISPR24

710mm x 433.3mm x 87.2mm (27.95in x 17.05in x 3.43in) (chassis only)

812.8mm x 433.4mm x 87.2mm (32in x 17.06in x 3.43in) (chassis with extensions)

USA NRTL - UL60950-1, Second Edition FCC part 15, Class A Canada SCC - CSA-22.2, No.60950-1, Second Edition ICES-003, Class A European Union (CE) CE - EN60950-1, Second Edition EN55022, Class A; EN55024; EN61000-3-2; EN61000-3-3 Japan VCCI V-3, Class A Mexico NOM-019-SCFI by NRTL Declaration S Mark - IEC 60950-1 Argentina Taiwan BSMI - CNS-14336-1 BSMI - CNS13438, Class A China CCC - GB4943.1 CCC - GB9254; GB17625 Australia/New Zealand AS/ZNS-CISPR22 AS/NZS 60950-1, Second Edition Korea KC - RRA, Class A Russia CU - IEC 60950-1 GOST-R 51318.22. Class A: 51318.24: 51317.3.2: 51317.3.3 **ENVIRONMENTAL** RoHS-Directive 2011/65/EU, REACH-Regulation No 1907/2006 PRODUCT WARRANTY Limited, non-transferable hardware warranty for a period of one (1) year from date of shipment. BlueTouch Support contracts available for 24/7 software support with options for hardware support. **GOV'T CERTIFICATIONS** For further government certification information please contact Federal Certifications@bluecoat.com MORE INFO Contact regulatoryinfo@bluecoat.com for specific regulatory compliance certification questions and support

Blue Coat Systems Inc. www.bluecoat.com

Corporate Headquarters Sunnyvale, CA +1.408.220.2200

> EMEA Headquarters Hampshire, UK +44.1252.554600

APAC Headquarters Singapore +65.6826.7000 © 2013 Blue Coat Systems, Inc. All rights reserved. Blue Coat, the Blue Coat logos, ProxySG, PacketShaper, CacheFlow, IntelligenceCenter, CacheFOS, CachePulse, Crossbeam, K9, the K9 logo, DRTR, Mach5, Packetwise, Policycenter, ProxyAV, ProxyClient, SGOS, WebPulse, Solera Networks, the Solera Networks logos, DeepSee, "See Everything, Know Everything,", "Security Empowers Business", and Blue Flouch are registered trademarks or trademarks of Blue Coat Systems, Inc. or its affiliates in the U.S. and certain other countries. This list may not be complete, and the absence of a trademark from this list does not mean it is not a trademark of Blue Coat or that Blue Coat has stopped using the trademark. All other trademarks mentioned in this document owned by third parties are the property of their respective owners. This document is for informational purposes only. Blue Coat makes no warranties, express, implied, or statutory, as to the information in this document. Blue Coat products, technical services, and any other technical data referenced in this document are subject to U.S. export control and sanctions laws, regulations and requirements, and may be subject to export or import regulations in other countries. You agree to comply strictly with these laws, regulations and requirements, and acknowledge that you have the responsibility to obtain any licenses, permits or other approvals that may be required in order to export, re-export, transfer in country or import after delivery to you. v.DS-SGOS-S400-S500-EN-v1e-1113